Material Data Declaration Sheet - v003

Schema Database Version: IEC 62474 X6.01 Substance Database Version: IEC 62474 D15.00



Supplier Information

Company Name *	
Response Document ID	38492
Company Unique ID	
Unique ID Authority	Dun and Bradstreet
Response Date *	2018-08-14

Contact Title * Intel Product Ecology Contact Phone * 1-800-628-8686 Contact Email * productecology@intel.com	Contact Name *	Ceja, Maria S
Contact Phone * 1-800-628-8686	Contact Title *	Intel Product Ecology
Contact Email * productocology@intel.com	Contact Phone *	1-800-628-8686
contact Email productecology@inter.com	Contact Email *	productecology@intel.com

Supplier Comments http://qdms.intel.com - Intel certifies that it gathered the provided information and such information is true and correct to the best of its knowledge and belief, as of the date that Intel completes this form. Intel acknowledges that Customer will rely on this certification in determining the compliance of its products. Customer acknowledges that Intel may have relied on information provided by others in completing this form, and that Intel may not have independently verified such information. However, in situations where Intel has not independently verified information provided by others, Intel agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Customer and the Intel enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Intel's liability and the Customer's remedies for issues that arise regarding information the Intel provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Intel's Standard Terms and Conditions of Sale applicable to such part shall apply.

Product(s)

Product Family Name: POWERVILLE

Requester Item Number	Item Number *	Description	Effective Date *	Mass *	UoM*	Comment
	NHI350AMx	NHI350AMx	2018-08-14	0.90718	g	

Declaration

LHPLA	This product is Low Halogen (Components): Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. The replacement of halogenated flame retardants may not be better for the environment. Intel Components as well as purchased components on the finished assembly meet the joint JEDEC/ECA JS-709B requirement.	True
LITPLA	meet the joint Jedec/eca 13-709B requirement.	True
PVC	This product does not contain PVC	True
SVHC	Product Contains REACh SVHC above .1% of article	False
RoHS.Compliant	Product Meets EU RoHS Directive 2 2011/65/EU Requirements	True

Signature

Intel Product Ecology

C=US, E=productecology@intel.com, OU="", O=Intel Corporation, CN=Intel Product Ecology

Part ID	Description	# of Units	Part Mass %	
NHI350AMx	NHI350AMx	1		100.0000

RoHS

Homogenous Material Name	Material Class ID	HM Mass %	Substance Group	Reportable Application	Reporting Threshold	Above Threshold? (T/F)	Substance Mass % of HM	Exemption	Comments
			Cadmium/Cadmium	All except hatteries	0.01 mass% of total	false			
			compounds	, спосредения	Cd in homogenous				
			Chromium (VI)	All	0.1 mass% of total	false			
			Compounds		Cr+6 in homogenous				
			Lead/Lead Compounds	All, except for: 1.	0.1 mass% of total Pb	falso			
			Ecad, Ecad Compounds	batteries, 2. surface	in homogenous	Taise			
			Mercury/Mercury	All, except batteries	Intentionally Added	false			
			Compounds	All, except batteries	or 0.1 mass% of total	Taise			
			Polybrominated	All	0.1 mass% in	false			
			Biphenyls (PBBs)	All	homogenous material	Taise			
			Polybrominated	All	0.1 mass% in	false			
			Diphenylethers (PBDEs)	All	homogenous material	laise			

Low Halogen

Homogenous Material					Reporting	Above	Substance Mass % of	
Name	Material Class ID	HM Mass %	Substance Group	Reportable Application	Threshold	Threshold? (T/F)	HM	Comments
			Brominated flame	Printed wiring board	0.09 mass% total	false		
			retardants (other than	laminate	bromine content in	laise		
			Brominated flame	Plastic materials except	0.1 mass% of	false		
			retardants (other than	printed wiring board	hromine in plactic			
			Chlorinated Flame	Plastic materials except	0.1 mass% chlorine in	falso		
			Retardants (CFR)	printed wiring board	plastic materials	Taise		
			Chlorinated Flame	Printed Wiring Board	0.09 mass% total	false		
			Retardants (CFR)	(PWB) Laminates	chlorine content in	laise		
	M-012		PVC			false		

Other Declarable Substances

Substance Group	Substance	CAS#	Reportable Application	Reporting Threshold	Above Threshold? (T/F)	Substance Mass (% of Article)	Comments
4-Nonylphenol, branched and linear, ethoxylated					false		
Alkanes, C10-13, chloro (Short Chain Chlorinated			All	Intentionally added or 0.1 mass% of article	false		
Aluminosilicate Refractory Ceramic			All	0.1 mass% of article	false		
Asbestos			All	Intentionally added	false		
Cadmium/Cadmium compounds			Batteries	0.001% by weight of battery	false		
Dibutyltin (DBT) compounds			All	0.1 mass% of tin in the part	false		
Dioctyltin (DOT) compounds			(a) textile and leather articles intended to come	0.1 mass% of tin in the part	false		

Disodium tetraborates			All	0.1 mass% of article	false		
Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]			All	0.1 mass% of article	false		
Fluorinated Greenhouse			All	Intentionally Added	false		
Gases (PFC, SF6, HFC) Hexabromocyclododecan			All	Intentionally added or	false		
e (HBCDD) Hexahydromethylphthali				0.01 mass% of article			
c anhydride			All	0.1 mass% of article	false		
Lead/Lead Compounds			Consumer products designed or intended	0.01 mass%	false		
Lead/Lead Compounds			Batteries	0.004 mass% of battery	false		
Mercury/Mercury Compounds			Batteries	Intentionally added or 0.0001 mass% of battery	false		
Nickel/Nickel Compounds			All, where prolonged skin contact is expected	Intentionally Added	false		
Nonadecafluorodecanoic acid (PFDA) and its			All	0.1 mass% of article	false		
Ozone Depleting Substances (CFC, Halon,			All	Intentionally Added	false		
Perchlorates			All	6 x 10 ^-7 mass% of battery or product part	false		
Perfluorohexane-1-sulph onic acid and its salts			All	0.1 mass% of article	false		
Perfluorononan-1-oic-aci d and its sodium and			All	0.1 mass% of article	false		
Polychlorinated Biphenyls (PCBs) and			All	Intentionally added	false		
Polychlorinated Naphthalenes (PCNs)			All	Intentionally added	false		
Radioactive substances			All	Intentionally added	false		
Tri-substituted organostannic			All	Intentionally added or 0.1 mass% of tin in the part	false		
Zirconia Aluminosilicate Refractory Ceramic			All	0.1 mass% of article	false		
, , , , , , , , , , , , , , , , , , , ,	[Phthalato(2-)]dioxotrilea	69011-06-9	Heat stabilizer for plastics, for example for	0.1 mass% of article	false	0.0000	
	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters	68515-51-5, 68648-93-1	Plasticisers, lubricants, adhesives, coatings,	0.1 mass% of article	false	0.0000	
	1,2-Benzenedicarboxylic acid. di-C6-8-branched	71888-89-6	Plasticizer, dye, pigment, paint, ink, adhesive,	0.1 mass% of article	false	0.0000	
	1,2-Benzenedicarboxylic acid, di-C7-11-branched	68515-42-4	Plasticizer, dye, pigment, paint, ink, adhesive,	0.1 mass% of article	false	0.0000	
	1,2-Benzenedicarboxylic acid. dihexyl ester.	68515-50-4	Used as a plasticizer for certain plastics and	0.1 mass% of article	false	0.0000	
	1,2-Benzenedicarboxylic acid, dipentylester,	84777-06-0	Plasticizer in plastic materials in specialist	0.1 mass% of article	false	0.0000	
	1,2-bis(2-methoxyethoxy) ethane (TEGDME;	112-49-2	Solvent may be used in battery electrolytes for	0.1 mass% of article	false	0.0000	
	1,2-Diethoxyethane	629-14-1	Solvent used in electrolytes for lithium	0.1 mass% of article	false	0.0000	
	1,2-dimethoxyethane; ethylene glycol dimethyl	110-71-4	Solvent used in battery electrolytes for lithium	0.1 mass% of article	false	0.0000	
	1,3-propanesultone	1120-71-4	Electrolyte fluid of	0.1 mass% of article	false	0.0000	
	2-(2H-benzotriazol-2-yl)-4 -(tert-butyl)-6-(sec-butyl)	36437-37-3	rechargeable lithium ion UV stabilizer	0.1 mass% of article	false	0.0000	
	2-(2H-benzotriazol-2-yl)-4 ,6-ditertpentylphenol	25973-55-1	UV stabilizer	0.1 mass% of article	false	0.0000	
	,o and thentylphenol						

2,4-di-tert-butyl-6-(5-chlo robenzotriazol-2-yl)pheno 2-benzotriazol-2-yl-h,6-di-tert-butylohenol (UV-320) 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo 4-(1,1,3,3-tetramethylbut yl)phenol 4,4'-isopropylidenediphen ol 4-Aminoazobenzene 4-Ammonium pentadecafluorooctanoat 3864-99-1 UV stabilizer 0.1 mass% of article 1ntentionally added or 0.1 mass% of article 1ntentionally adde	
2-benzotriazol-2-yl-4,6-di- tert-butylphenol (UV-320) 3846-71-7 UV-stabilizer in adhesives, paints, mass% of article 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo 4-(1,1,3,3-tetramethylbut yl)phenol 4,4'-isopropylidenediphen ol 4,4'-isopropylidenediphen ol 4-Aminoazobenzene 4-Ammonium pentadecafluorooctanoat Ammonium pentadecafluorooctanoat 2-benzotriazol-2-yl-4,6-di- tert-butylphenol (UV-320) 3846-71-7 UV-stabilizer in adhesives, paints, mass% of article 0.1 mass% of article 0.1 mass% of article false 0.0000 1 mass% of article 1 mass% of arti	
2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo 4-(1,1,3,3-tetramethylbut yl)phenol 4,4'-isopropylidenediphen ol 4-Aminoazobenzene Ammonium pentadecafluorooctanoat 4 Aminoazotanoat 4	
10-ethyl-4,4-dioctyl-7-oxo 4-(1,1,3,3-tetramethylbut yl)phenol 140-66-9 Unreacted process chemical 140-66-9 Unreac	
140-66-9 140-66-9	
ol plasticizer and PVC, ink, mass% of article 1.0000 4-Aminoazobenzene 60-09-3 Used as yellow pigment and in inks, including inks 1.0000 pentadecafluorooctanoat 1.00000 pentadecafluorooctanoat 1.0000 pentadecafluorooctanoat 1.00000 pentadecafluorooctanoat 1.0000 pentadecafluorooctanoat 1.00000 pentadecafluorooctanoat 1.00000 pentadecafluorooctanoat 1.00000 pentadecafluorooctanoat 1.00000 pentadecafluorooctanoat 1.00000 pentadecafluorooctanoat 1.000000 pentadecafluorooctanoat 1.000000 pentadecafluorooctanoat 1.000000 pentadecafluorooctanoat 1.000000 pentadecafluorooctanoat 1.000000 pentadecafluorooctanoat 1.000000 pentadecafluorooctanoat 1.0000000 pentadecafluorooctanoat 1.0000000000 pentadecafluorooctanoat 1.0000000000000000000000000	
4-Aminoazobenzene 60-09-3 Used as yellow pigment and in inks, including inks Ammonium pentadecafluorooctanoat 3825-26-1 APFO is used as an emulsion stabilizer to 0.1 mass% of article false 0.0000 false 0.0000	
Ammonium pentadecafluorooctanoat 3825-26-1 APFO is used as an emulsion stabilizer to 0.1 mass% of article false 0.0000	
pentadecafluorooctanoat emulsion stabilizer to	
56-55-3; Impurities in carbon	
Benz[a]anthracene 1718-53-2 black, which is used as 0.0000 false 0.0000	
Benzenamine, N-phenyl-, reaction products with 68921-45-9 Lubricating agent in motors, storage drives;	
Benzo[a]anthracene 56-55-3 Impurities in carbon black, which is used as plastic or rubber part false 0.0000	
Impurities in carbon 0,0005 mass% of the	
Benzo[a]anthracene 56-55-3 black, which is used as plastic or rubber part false 0.0000	
Benzo[a]pyrene 50-32-8 Impurities in carbon black, which is used as plastic or rubber part false 0.0000	
Renzo(alpyrene 50-32-8 Impurities in carbon 0.00005 mass% of the false 0.0000	
black, which is used as plastic or rubber part	
Benzo[b]fluorantnene 205-99-2 black, which is used as plastic or rubber part Talse 0.0000	
Benzo[b]fluoranthene 205-99-2 Impurities in carbon black, which is used as plastic or rubber part 0.0000 false 0.0000	
Benzo[def]chrysene 50-32-8 Impurities in carbon black, which is used as 0.0000	
Benzo[e]pyrene 192-97-2 Impurities in carbon black, which is used as plastic or rubber part false 0.0000	
Benzo[e]pyrene 192-97-2 Impurities in carbon 0.00005 mass% of the black, which is used as plastic or rubber part false 0.0000	
Benzo[j]fluoranthene 205-82-3 Impurities in carbon 0.0001 mass% of the black, which is used as plastic or rubber part	
Renzofilfluoranthene 205-82-3 Impurities in carbon 0.00005 mass% of the false 0.0000	
black, which is used as plastic or rubber part Benzo[k]fluoranthene 207-08-9 Impurities in carbon 0.0001 mass% of the false 0.0000	
Benzolk/fluoranthene 207-08-9 Impurities in carbon 0.00005 mass% of the false 0.0000	
Benzyl butyl phthalate 85-68-7 Plasticizer, dye, pigment, 0.1 mass% in false 0.0000	
(BBP) paint, ink, adhesive, homogenous material	
Beryllium Oxide 1304-56-9 Ceramics 0.1 mass% false 0.0000	
Bis Plasticizer, dye, pigment, 0.1 mass% in paint, ink, adhesive, homogenous material false 0.0000	
Bis(2-methoxyethyl) ether 111-96-6 Electrolyte in lithium batteries 0.1 mass% of article false 0.0000	
Bis(2-methoxyethyl) 117-82-8 Plasticizer 0.1 mass% of article false 0.0000	
Bis(pentabromophenyl) 1163-19-5 Flame retardant 0.1 mass% of article false 0.0000	
Bis(tributyltin) oxide (TBTO) Antiseptic, antifungal agent, paint, pigment, mass% of article Antiseptic, antifungal mass% of article 0.0000	
100/3-25-3 In wood vaneers /	$\overline{}$
BOTIC ACIO U U I MASS% OT ATTICIE I TAISE U U UUUU	
11113-50-1 pressed wooden panels Pigments, anti-corrosion of a pressed wooden for the pressed wooden panels 7440-43 0 Pigments, anti-corrosion of a pressed wooden for the pressed wooden panels	

Cadmium hydroxide	21041-95-2	It is generated in the anodes of	0.1 mass% of article	false	0.0000	
Cadmium oxide	1306-19-0	Relay contact; photodiode voltaic cell,	0.1 mass% of article	false	0.0000	
Cadmium sulphide	1306-23-6	Used in photo-resistors, solar cells and	0.1 mass% of article	false	0.0000	
Chrysen	218-01-9	Impurities in carbon	0.0001 mass% of the	false	0.0000	
Chrysen	218-01-9	black, which is used as Impurities in carbon	plastic or rubber part 0.00005 mass% of the	false	0.0000	
,	218-01-9;	black, which is used as Impurities in carbon	plastic or rubber part 0.1 mass% of article	false	0.0000	
Chrysene	1719-03-5	black, which is used as Pneumatic panels to				
Cobalt dichloride	7646-79-9	indicate water	0.1 mass% of article	false	0.0000	
Diarsenic pentoxide	1303-28-2	Additive in wood, metal, glass and plastics	0.1 mass% of article	false	0.0000	
Diarsenic trioxide	1327-53-3	Additive in wood, metal, glass and plastics	0.1 mass% of article	false	0.0000	
Dibenzo[a,h]anthracene	53-70-3	Impurities in carbon black, which is used as	0.0001 mass% of the plastic or rubber part	false	0.0000	
Dibenzo[a,h]anthracene	53-70-3	Impurities in carbon	0.00005 mass% of the	false	0.0000	
Diboron trioxide	1303-86-2	black, which is used as Found in wood veneers,	plastic or rubber part 0.1 mass% of article	false	0.0000	
	84-74-2	glass/fiberoptics and Plasticizer, dye, pigment,	0.1 mass% in		0.0000	
Dibutyl phthalate (DBP) Dibutyltin dichloride		paint, ink, adhesive, Ingredient in some paint	homogenous material	false		
(DBTC)	683-18-1	thinner and as heat	0.1 mass% of article	false	0.0000	
Diisobutyl phthalate	84-69-5	Plasticizer, dye, pigment, paint, ink, adhesive,	0.1 mass% in homogenous material	false	0.0000	
Di-isodecyl phthalate (DIDP)	68515-49-1, 26761-40-0	Plasticizer, dye, pigment, paint, ink,	Intentionally added	false	0.0000	
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	Used as a plasticizer for PVC	Intentionally added	false	0.0000	
Diisopentylphthalate	605-50-5	Plasticizer in plastic materials in specialist	0.1 mass% of article	false	0.0000	
Dimethyl Fumarate (DMF)	624-49-7	Biocide, mold prevention		false	0.0000	
Di-n-hexyl Phthalate	84-75-3	treatment of electronic Plasticizer, dye, pigment,	part Intentionally added or 0.1	false	0.0000	
(DnHP) Dioxobis(stearato)trilead	12578-12-0	paint, ink, adhesive, Heat stabilizer for	mass% of article 0.1 mass% of article	false	0.0000	
` '		plastics, for example for Plasticizer in PVC and				-
Dipentyl phthalate (DPP) Disodium	131-18-0	nitrocellulose resin and Dye for textiles and	0.1 mass% of article	false	0.0000	
3,3'-[[1,1'-biphenyl]-4,4'-d	573-58-0	paper	0.1 mass% of article	false	0.0000	
Disodium 4-amino-3-[[4'-[(2,4-diami	1937-37-7	Used in ink for printers	0.1 mass% of article	false	0.0000	
Fatty acids, C16-18, lead salts	91031-62-8	Heat stabilizer for plastics, for example for	0.1 mass% of article	false	0.0000	
Formaldehyde	50-00-0	Textiles	0.0075 mass % of textile	false	0.0000	
Imidazolidine-2-thione;	96-45-7	used as a catalyst in	0.1 mass% of article	false	0.0000	
(2-imidazoline-2-thiol) Lead chromate	7758-97-6	some acrylic adhesive Colorant in plastics;	0.1 mass% of article	false	0.0000	
Lead chromate molybdate	12656-85-8	Colorant in paint Colorant in plastics;	0.1 mass% of article	false	0.0000	
sulphate red (C.I. Pigment		Colorant in red paint Used in anticorrosion				
Lead cyanamidate	20837-86-9	coatings e.g. steel articles	0.1 mass% of article	false	0.0000	
Lead dinitrate	10099-74-8	Heat stabilizer in nylon and polyesters, also used	0.1 mass% of article	false	0.0000	

Lead oxide sulfate	12036-76-9	Heat stabilizer for PVC used for wiring and	0.1 mass% of article	false	0.0000
Lead sulfochromate yellow (C.I. Pigment	1344-37-2	Colorant in plastics; Colorant in yellow paint	0.1 mass% of article	false	0.0000
Lead titanium trioxide	12060-00-3	In piezoelectric components, ultrasound	0.1 mass% of article	false	0.0000
Lead titanium zirconium oxide	12626-81-2	In piezoelectric components, ultrasound	0.1 mass% of article	false	0.0000
N,N-dimethylformamide	68-12-2	Used as electrolyte in electrolytic capacitors	0.1 mass% of article	false	0.0000
N-pentyl-isopentylphthala te	776297-69-9	Plasticizer in plastic materials in specialist	0.1 mass% of article	false	0.0000
Orange lead (lead tetroxide)	1314-41-6	Used in rust-proof primer paints	0.1 mass% of article	false	0.0000
Pentadecafluorooctanoic acid (PFOA)	335-67-1	PFOA is used as an emulsion stabilizer to	0.1 mass% of article	false	0.0000
Pentalead tetraoxide sulphate	12065-90-6	Heat stabilizer for plastics; for example,	0.1 mass% of article	false	0.0000
Pentazinc chromate octahydroxide	49663-84-5	Colorant	0.1 mass% of article	false	0.0000
Potassium hydroxyoctaoxodizincated	11103-86-9	Paint, anti-corrosion	0.1 mass% of article	false	0.0000
Pyrochlore, antimony lead vellow	8012-00-8	Used as yellow pigment for coloring plastics and	0.1 mass% of article	false	0.0000
reaction mass of 2-ethylhexyl		PVC stabilizer	0.1 mass% of article	false	0.0000
Silicic acid (H2Si2O5), barium salt (1:1).	68784-75-8	Used in UV emitting light bulbs and lamps	0.1 mass% of article	false	0.0000
Strontium chromate	7789-06-2	Pigment; corrosion resistant coating	0.1 mass% of article	false	0.0000
Sulfurous acid, lead salt, dibasic	62229-08-7	Heat stabilizer for PVC, for example for wiring	0.1 mass% of article	false	0.0000
Tetralead trioxide sulphate	12202-17-4	Heat stabilizer for PVC, for example for wiring	0.1 mass% of article	false	0.0000
Trilead dioxide phosphonate	12141-20-7	Heat stabilizer for PVC, for example for wiring	0.1 mass% of article	false	0.0000
Tris(2-chloroethyl)phosph ate	115-96-8	Flame retardant	0.1 mass% of article	false	0.0000
Trixylyl phosphate	25155-23-1	Used as a plasticizer for vinyl resin, cellulose	0.1 mass% of article	false	0.0000