

## Material Data Declaration Sheet - v003

Schema Database Version: IEC 62474 X6.01  
Substance Database Version: IEC 62474 D12.00



### Supplier Information

Company Name *	Intel Corporation
Response Document ID	24052
Company Unique ID	047897855
Unique ID Authority	Brad and Dunstreet
Response Date *	2017-06-29

Contact Name *	Khalily, Nima
Contact Title *	Intel Product Ecology
Contact Phone *	1-800-628-8686
Contact Email *	productecology@intel.com

Supplier Comments <http://qdms.intel.com> - Intel certifies that it gathered the provided information and such information is true and correct to the best of its knowledge and belief, as of the date that Intel completes this form. Intel acknowledges that Customer will rely on this certification in determining the compliance of its products. Customer acknowledges that Intel may have relied on information provided by others in completing this form, and that Intel may not have independently verified such information. However, in situations where Intel has not independently verified information provided by others, Intel agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Customer and the Intel enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Intel's liability and the Customer's remedies for issues that arise regarding information the Intel provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Intel's Standard Terms and Conditions of Sale applicable to such part shall apply.

**Product(s)**

Product Family Name:

Requester Item						
Number	Item Number *	Description	Effective Date *	Mass *	UoM*	Comment
	E10GSFPSRX	E10GSFPSRX	2017-06-29	4.53592	g	

**Product Part(s)**

ID*	Description	Effective Date*	Units*	% of Product Mass	Comment
OPTIC_IC	OPTIC_IC	2017-06-29	1	499.96096	
Other Items 1	Other Items	2017-06-29	1	-399.96090	

**Declaration**

LHPWB	This product is Low Halogen (PCB): Applies Br/Cl in the PCB Laminate. The PCB / Substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants may not be better for the environment	False
PVC	This product does not contain PVC	True
SVHC	Product Contains REACH SVHC above .1% of article	True
RoHS.Exempt	Product meets EU ROHS Requirements by application of the Selected exemptions	True

**Exemptions**

EL2011/534/EU	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound	7(c)-I
---------------	--	--------

**Signature**

Intel Product  
Ecology

C=US, E=productecology@intel.com, OU="", O=Intel Corporation, CN=Intel Product Ecology

Part ID	Description	# of Units	Part Mass %
OPTIC_IC	OPTIC_IC	1	499.96096

#### RoHS

Homogenous Material Name	Material Class ID	HM Mass %	Substance Group	Reportable Application	Reporting Threshold	Above Threshold? (T/F)	Substance Mass % of HM	Exemption	Comments
1037262-Resistor, Thick FM-010		0.000	Lead/Lead Compounds	All, except for batteries, c	0.1 mass% of total Pb	true	59.577	7(c)-I	
			Cadmium/Cadmium compounds	All, except batteries	0.01 mass% of total Cr	false			
			Chromium (VI) Compounds	All	0.1 mass% of total Cr	false			
			Mercury/Mercury Compounds	All, except batteries	Intentionally Added or	false			
			Polybrominated Biphenyl	All	0.1 mass% in homoge	false			
			Polybrominated Diphenyl	All	0.1 mass% in homoge	false			

#### Low Halogen

Homogenous Material Name	Material Class ID	HM Mass %	Substance Group	Reportable Application	Reporting Threshold	Above Threshold? (T/F)	Substance Mass % of HM	Comments
1215527-PCB Fab, Rigid-NM-014		2.227	Brominated flame retardants	Printed wiring board laminates	0.09 mass% total bromine	true	100.000	

#### Other Declarable Substances

Substance Group	Substance	CAS #	Reportable Application	Reporting Threshold	Above Threshold? (T/F)	Substance Mass (% of Article)	Comments
4-Nonylphenol, branched and linear, ethoxylated			All	0.1 mass% of article	false	0.0000	
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)			All	Intentionally added or 0.1	false	0.0000	
Aluminosilicate Refractory Ceramic Fibres			All	0.1 mass% of article	false	0.0000	
Asbestos			All	Intentionally added	false	0.0000	
Cadmium/Cadmium compounds			Batteries	0.001% by weight of battery	false	0.0000	
Dibutyltin (DBT) compounds			All	0.1 mass% of tin in the package	false	0.0000	
Diocetyl tin (DOT) compounds			(a) textile and leather articles	0.1 mass% of tin in the package	false	0.0000	
Disodium tetraborates			All	0.1 mass% of article	false	0.0000	
Fluorinated Greenhouse Gases (PFC, SF6, HFC)			All	Intentionally Added	false	0.0000	
Hexabromocyclododecane (HBCDD) and all major diastereoisomers			All	Intentionally added or 0.1	false	0.0000	
Hexahydromethylphthalic anhydride			All	0.1 mass% of article	false	0.0000	
Lead/Lead Compounds			Consumer products design	0.01 mass%	false	0.0000	
Lead/Lead Compounds			Batteries	0.004 mass% of battery	false	0.0000	
Mercury/Mercury Compounds			Batteries	Intentionally added or 0.0	false	0.0000	
Ozone Depleting Substances (CFC, Halon, HBFC, HCFC & others)			All	Intentionally Added	false	0.0000	
Perchlorates			All	6 x 10 <sup>-7</sup> mass% of battery	false	0.0000	
Perfluorononane-1-oic acid and its sodium and ammonium salts			All	0.1 mass% of article	false	0.0000	
Polychlorinated Biphenyls (PCBs) and specific substitutes			All	Intentionally added	false	0.0000	
Polychlorinated Naphthalenes (PCNs)			All	Intentionally added	false	0.0000	
Radioactive substances			All	Intentionally added	false	0.0000	
Tri-substituted organostannic compounds			All	Intentionally added or 0.1	false	0.0000	
Zirconia Aluminosilicate Refractory Ceramic Fibres			All	0.1 mass% of article	false	0.0000	
	[Phthalato(2-)]dioxotriole	69011-06-9	All	0.1 mass% of article	false	0.0000	
	1,2-benzenedicarboxylic acid	68515-51-5, 686	All	0.1 mass% of article	false	0.0000	
	1,2-Benzenedicarboxylic acid	71888-89-6	All	0.1 mass% of article	false	0.0000	
	1,2-Benzenedicarboxylic acid	68515-42-4	All	0.1 mass% of article	false	0.0000	
	1,2-Benzenedicarboxylic acid	68515-50-4	All	0.1 mass% of article	false	0.0000	
	1,2-Benzenedicarboxylic acid	84777-06-0	All	0.1 mass% of article	false	0.0000	

1,2-bis(2-methoxyethoxy)-112-49-2	All	0.1 mass% of article	false	0.0000
1,2-Diethoxyethane 629-14-1	All	0.1 mass% of article	false	0.0000
1,2-dimethoxyethane; eth 110-71-4	All	0.1 mass% of article	false	0.0000
1,3-propanesultone 1120-71-4	All	0.1 mass% of article	false	0.0000
2-(2H-benzotriazol-2-yl)-4-36437-37-3	All	0.1 mass% of article	false	0.0000
2-(2H-benzotriazol-2-yl)-4,25973-55-1	All	0.1 mass% of article	false	0.0000
2,4-di-tert-butyl-6-(5-chloro)3864-99-1	All	0.1 mass% of article	false	0.0000
2-benzotriazol-2-yl-4,6-di-3846-71-7	All	Intentionally added or 0.1	false	0.0000
2-ethylhexyl 10-ethyl-4,4-15571-58-1	All	0.1 mass% of article	false	0.0000
4-(1,1,3,3-tetramethylbutyl)140-66-9	All	0.1 mass% of article	false	0.0000
4-Aminoazobenzene 60-09-3	All	0.1 mass% of article	false	0.0000
Ammonium pentadecafluor3825-26-1	All	0.1 mass% of article	false	0.0000
Benzenamine, N-phenyl-, 168921-45-9	All	Intentionally added	false	0.0000
Benzo[a]anthracene 56-55-3	Rubber or plastic parts th	0.0001 mass% of the plas	false	0.0000
Benzo[a]anthracene 56-55-3	Rubber or plastic parts of	0.00005 mass% of the pla	false	0.0000
Benzo[a]pyrene 50-32-8	Rubber or plastic parts of	0.00005 mass% of the pla	false	0.0000
Benzo[a]pyrene 50-32-8	Rubber or plastic parts th	0.0001 mass% of the plas	false	0.0000
Benzo[b]fluoranthene 205-99-2	Rubber or plastic parts of	0.00005 mass% of the pla	false	0.0000
Benzo[b]fluoranthene 205-99-2	Rubber or plastic parts th	0.0001 mass% of the plas	false	0.0000
Benzo[def]chrysene 50-32-8	All	0.1 mass% of article	false	0.0000
Benzo[e]pyrene 192-97-2	Rubber or plastic parts of	0.00005 mass% of the pla	false	0.0000
Benzo[e]pyrene 192-97-2	Rubber or plastic parts th	0.0001 mass% of the plas	false	0.0000
Benzo[j]fluoranthene 205-82-3	Rubber or plastic parts th	0.0001 mass% of the plas	false	0.0000
Benzo[j]fluoranthene 205-82-3	Rubber or plastic parts of	0.00005 mass% of the pla	false	0.0000
Benzo[k]fluoranthene 207-08-9	Rubber or plastic parts th	0.0001 mass% of the plas	false	0.0000
Benzo[k]fluoranthene 207-08-9	Rubber or plastic parts of	0.00005 mass% of the pla	false	0.0000
Benzyl butyl phthalate (BB)85-68-7	All	0.1 mass% in homogenou	false	0.0000
Beryllium Oxide 1304-56-9	All	0.1 mass%	false	0.0000
Bis(2-ethylhexyl)phthalate117-81-7	All	0.1 mass% in homogenou	false	0.0000
Bis(2-methoxyethyl) ether111-96-6	All	0.1 mass% of article	false	0.0000
Bis(2-methoxyethyl) phth117-82-8	All	0.1 mass% of article	false	0.0000
Bis(pentabromophenyl) et1163-19-5	All	0.1 mass% of article	false	0.0000
Bis(tributyltin) oxide (TBT)56-35-9	All	Intentionally added or 0.1	false	0.0000
Boric Acid 10043-35-3, 111	All	0.1 mass% of article	false	0.0000
Cadmium 7440-43-9	All	0.1 mass% of article	false	0.0000
Cadmium oxide 1306-19-0	All	0.1 mass% of article	false	0.0000
Cadmium sulphide 1306-23-6	All	0.1 mass% of article	false	0.0000
Chrysen 218-01-9	Rubber or plastic parts th	0.0001 mass% of the plas	false	0.0000
Chrysen 218-01-9	Rubber or plastic parts of	0.00005 mass% of the pla	false	0.0000
Cobalt dichloride 7646-79-9	All	0.1 mass% of article	false	0.0000
Diarsenic pentoxide 1303-28-2	All	0.1 mass% of article	false	0.0000
Diarsenic trioxide 1327-53-3	All	0.1 mass% of article	false	0.0000
Dibenzo[a,h]anthracene 53-70-3	Rubber or plastic parts of	0.00005 mass% of the pla	false	0.0000
Dibenzo[a,h]anthracene 53-70-3	Rubber or plastic parts th	0.0001 mass% of the plas	false	0.0000
Diboron trioxide 1303-86-2	All	0.1 mass% of article	true	0.15563
Dibutyl phthalate (DBP) 84-74-2	All	0.1 mass% in homogenou	false	0.0000
Dibutyltin dichloride (DBT)683-18-1	All	0.1 mass% of article	false	0.0000
Diisobutyl phthalate 84-69-5	All	0.1 mass% in homogenou	false	0.0000
Di-isodecyl phthalate (DID)68515-49-1, 267	All	Intentionally added	false	0.0000
Diisononyl phthalate (DINI)28553-12-0, 685	All	Intentionally added	false	0.0000
Diisopentylphthalate 605-50-5	All	0.1 mass% of article	false	0.0000
Dimethyl Fumarate (DMF)624-49-7	All	0.00001 mass% of the pa	false	0.0000
Di-n-hexyl Phthalate (DnH)84-75-3	All	Intentionally added or 0.1	false	0.0000
Dioxobis(stearato)trilead 12578-12-0	All	0.1 mass% of article	false	0.0000
Dipentyl phthalate (DPP) 131-18-0	All	0.1 mass% of article	false	0.0000
Disodium 3,3'-[[1,1'-biphe]573-58-0	All	0.1 mass% of article	false	0.0000
Disodium 4-amino-3-[[4'-[1937-37-7	All	0.1 mass% of article	false	0.0000

Fatty acids, C16-18, lead s	91031-62-8	All	0.1 mass% of article	false	0.0000
Formaldehyde	50-00-0	Textiles	0.0075 mass % of textile	false	0.0000
Imidazolidine-2-thione; (2	96-45-7	All	0.1 mass% of article	false	0.0000
Lead chromate	7758-97-6	All	0.1 mass% of article	false	0.0000
Lead chromate molybdate	12656-85-8	All	0.1 mass% of article	false	0.0000
Lead cyanamidate	20837-86-9	All	0.1 mass% of article	false	0.0000
Lead dinitrate	10099-74-8	All	0.1 mass% of article	false	0.0000
Lead oxide sulfate	12036-76-9	All	0.1 mass% of article	false	0.0000
Lead sulfochromate yellow	1344-37-2	All	0.1 mass% of article	false	0.0000
Lead titanium trioxide	12060-00-3	All	0.1 mass% of article	false	0.0000
Lead titanium zirconium o	12626-81-2	All	0.1 mass% of article	false	0.0000
N,N-dimethylformamide	68-12-2	All	0.1 mass% of article	false	0.0000
N-pentyl-isopentylphthala	776297-69-9	All	0.1 mass% of article	false	0.0000
Orange lead (lead tetroxid	1314-41-6	All	0.1 mass% of article	false	0.0000
Pentadecafluorooctanoic ;	335-67-1	All	0.1 mass% of article	false	0.0000
Pentalead tetraoxide sulpl	12065-90-6	All	0.1 mass% of article	false	0.0000
Pentazinc chromate octah	49663-84-5	All	0.1 mass% of article	false	0.0000
Potassium hydroxyoctaoxi	11103-86-9	All	0.1 mass% of article	false	0.0000
Pyrochlore, antimony lead	8012-00-8	All	0.1 mass% of article	false	0.0000
reaction mass of 2-ethylhexyl	10-ethyl-4,4-	All	0.1 mass% of article	false	0.0000
Silicic acid (H <sub>2</sub> Si <sub>2</sub> O <sub>5</sub> ), bari	68784-75-8	All	0.1 mass% of article	false	0.0000
Strontium chromate	7789-06-2	All	0.1 mass% of article	false	0.0000
Sulfurous acid, lead salt, d	62229-08-7	All	0.1 mass% of article	false	0.0000
Tetralead trioxide sulphat	12202-17-4	All	0.1 mass% of article	false	0.0000
Trilead dioxide phosphonæ	12141-20-7	All	0.1 mass% of article	false	0.0000
Tris(2-chloroethyl)phosph	115-96-8	All	0.1 mass% of article	false	0.0000
Trixylyl phosphate	25155-23-1	All	0.1 mass% of article	false	0.0000

Part ID	Description	# of Units	Part Mass %
Other Items 1	Other Items	1	-399.96090

#### RoHS

Homogenous Material Name	Material Class ID	HM Mass %	Substance Group	Reportable Application	Reporting Threshold	Above Threshold? (T/F)	Substance Mass % of HM	Exemption	Comments
			Cadmium/Cadmium compounds	All, except batteries	0.01 mass% of total Cr	false			
			Chromium (VI) Compounds	All	0.1 mass% of total Cr	false			
			Lead/Lead Compounds	All, except for batteries, c	0.1 mass% of total Pb	false			
			Mercury/Mercury Compounds	All, except batteries	Intentionally Added	o	false		
			Polybrominated Biphenyls	All	0.1 mass% in homoge	false			
			Polybrominated Diphenyls	All	0.1 mass% in homoge	false			

#### Low Halogen

Homogenous Material Name	Material Class ID	HM Mass %	Substance Group	Reportable Application	Reporting Threshold	Above Threshold? (T/F)	Substance Mass % of HM	Comments
			Brominated flame retardants	Printed wiring board laminae	0.09 mass% total bromine	false		
			Brominated flame retardants	Plastic materials except pigments	0.1 mass% of bromine	false		
			Chlorinated Flame Retardants	Plastic materials except pigments	0.1 mass% chlorine in flame	false		
			Chlorinated Flame Retardants	Printed Wiring Board (PWB)	0.09 mass% total chlorine	false		
	M-012		PVC			false		

#### Other Declarable Substances

Substance Group	Substance	CAS #	Reportable Application	Reporting Threshold	Above Threshold? (T/F)	Substance Mass (% of Article)	Comments
4-Nonylphenol, branched and linear, ethoxylated			All	0.1 mass% of article	false		
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)			All	Intentionally added or 0.1 mass%	false		
Aluminosilicate Refractory Ceramic Fibres			All	0.1 mass% of article	false		
Asbestos			All	Intentionally added	false		
Cadmium/Cadmium compounds			Batteries	0.001% by weight of battery	false		
Dibutyltin (DBT) compounds			All	0.1 mass% of tin in the part	false		
Diocetyl tin (DOT) compounds			(a) textile and leather articles	0.1 mass% of tin in the part	false		
Disodium tetraborates			All	0.1 mass% of article	false		
Fluorinated Greenhouse Gases (PFC, SF6, HFC)			All	Intentionally Added	false		
Hexabromocyclododecane (HBCDD) and all major diastereoisomers			All	Intentionally added or 0.1 mass%	false		
Hexahydromethylphthalic anhydride			All	0.1 mass% of article	false		
Lead/Lead Compounds			Consumer products designed for use in children's toys	0.01 mass%	false		
Lead/Lead Compounds			Batteries	0.004 mass% of battery	false		
Mercury/Mercury Compounds			Batteries	Intentionally added or 0.001 mass%	false		
Ozone Depleting Substances (CFC, Halon, HBFC, HCFC & others)			All	Intentionally Added	false		
Perchlorates			All	6 x 10 <sup>-7</sup> mass% of battery	false		
Perfluorononane-1-oic-acid and its sodium and ammonium salts			All	0.1 mass% of article	false		
Polychlorinated Biphenyls (PCBs) and specific substitutes			All	Intentionally added	false		
Polychlorinated Naphthalenes (PCNs)			All	Intentionally added	false		
Radioactive substances			All	Intentionally added	false		
Tri-substituted organostannic compounds			All	Intentionally added or 0.1 mass%	false		
Zirconia Aluminosilicate Refractory Ceramic Fibres			All	0.1 mass% of article	false		
	[Phthalato(2-)]dioxotriethylacrylate	69011-06-9	Heat stabilizer for plastic	0.1 mass% of article	false	0.0000	
	1,2-benzenedicarboxylic acid	68515-51-5, 686	Plasticisers, lubricants, and pigments	0.1 mass% of article	false	0.0000	
	1,2-Benzenedicarboxylic acid	71888-89-6	Plasticizer, dye, pigment	0.1 mass% of article	false	0.0000	

1,2-Benzenedicarboxylic acid	68515-42-4	Plasticizer, dye, pigment, 0.1 mass% of article	false	0.0000	
1,2-Benzenedicarboxylic acid	68515-50-4	Used as a plasticizer for c	0.1 mass% of article	false	0.0000
1,2-Benzenedicarboxylic acid	84777-06-0	Plasticizer in plastic mate	0.1 mass% of article	false	0.0000
1,2-bis(2-methoxyethoxy)	112-49-2	Solvent may be used in b	0.1 mass% of article	false	0.0000
1,2-Diethoxyethane	629-14-1	Solvent used in electrolyt	0.1 mass% of article	false	0.0000
1,2-dimethoxyethane; eth	110-71-4	Solvent used in battery e	0.1 mass% of article	false	0.0000
1,3-propanesultone	1120-71-4	Electrolyte fluid of rechar	0.1 mass% of article	false	0.0000
2-(2H-benzotriazol-2-yl)-4	36437-37-3	UV stabilizer	0.1 mass% of article	false	0.0000
2-(2H-benzotriazol-2-yl)-4,	25973-55-1	UV stabilizer	0.1 mass% of article	false	0.0000
2,4-di-tert-butyl-6-(5-chloro	3864-99-1	UV stabilizer	0.1 mass% of article	false	0.0000
2-benzotriazol-2-yl-4,6-di-	3846-71-7	UV-stabilizer in adhesives	Intentionally added or 0.1	false	0.0000
2-ethylhexyl 10-ethyl-4,4-i	15571-58-1	PVC stabilizer	0.1 mass% of article	false	0.0000
4-(1,1,3,3-tetramethylbutyl)	140-66-9	Unreacted process chemi	0.1 mass% of article	false	0.0000
4-Aminoazobenzene	60-09-3	Used as yellow pigment a	0.1 mass% of article	false	0.0000
Ammonium pentadecafluor	3825-26-1	APFO is used as an emuls	0.1 mass% of article	false	0.0000
Benzenamine, N-phenyl-, i	68921-45-9	Lubricating agent in motc	Intentionally added	false	0.0000
Benzo[a]anthracene	56-55-3	Impurities in carbon black	0.00005 mass% of the pla	false	0.0000
Benzo[a]anthracene	56-55-3	Impurities in carbon black	0.0001 mass% of the plas	false	0.0000
Benzo[a]pyrene	50-32-8	Impurities in carbon black	0.00005 mass% of the pla	false	0.0000
Benzo[a]pyrene	50-32-8	Impurities in carbon black	0.0001 mass% of the plas	false	0.0000
Benzo[b]fluoranthene	205-99-2	Impurities in carbon black	0.00005 mass% of the pla	false	0.0000
Benzo[b]fluoranthene	205-99-2	Impurities in carbon black	0.0001 mass% of the plas	false	0.0000
Benzo[def]chrysene	50-32-8	Impurities in carbon black	0.1 mass% of article	false	0.0000
Benzo[e]pyrene	192-97-2	Impurities in carbon black	0.00005 mass% of the pla	false	0.0000
Benzo[e]pyrene	192-97-2	Impurities in carbon black	0.0001 mass% of the plas	false	0.0000
Benzo[j]fluoranthene	205-82-3	Impurities in carbon black	0.00005 mass% of the pla	false	0.0000
Benzo[j]fluoranthene	205-82-3	Impurities in carbon black	0.0001 mass% of the plas	false	0.0000
Benzo[k]fluoranthene	207-08-9	Impurities in carbon black	0.00005 mass% of the pla	false	0.0000
Benzo[k]fluoranthene	207-08-9	Impurities in carbon black	0.0001 mass% of the plas	false	0.0000
Benzyl butyl phthalate (BB	85-68-7	Plasticizer, dye, pigment, 0.1 mass% in homogenou	false	0.0000	
Beryllium Oxide	1304-56-9	Ceramics	0.1 mass%	false	0.0000
Bis(2-ethylhexyl)phthalat	117-81-7	Plasticizer, dye, pigment, 0.1 mass% in homogenou	false	0.0000	
Bis(2-methoxyethyl) ether	111-96-6	Electrolyte in lithium batt	0.1 mass% of article	false	0.0000
Bis(2-methoxyethyl) phthi	117-82-8	Plasticizer	0.1 mass% of article	false	0.0000
Bis(pentabromophenyl) et	1163-19-5	Flame retardant	0.1 mass% of article	false	0.0000
Bis(tributyltin) oxide (TBT	56-35-9	Antiseptic, antifungal age	Intentionally added or 0.1	false	0.0000
Boric Acid	10043-35-3, 111	In wood veneers/ pressec	0.1 mass% of article	false	0.0000
Cadmium	7440-43-9	Pigments, anti-corrosion	0.1 mass% of article	false	0.0000
Cadmium oxide	1306-19-0	Relay contact; photodi	0.1 mass% of article	false	0.0000
Cadmium sulphide	1306-23-6	Used in photo-resistors, s	0.1 mass% of article	false	0.0000
Chrysen	218-01-9	Impurities in carbon black	0.00005 mass% of the pla	false	0.0000
Chrysen	218-01-9	Impurities in carbon black	0.0001 mass% of the plas	false	0.0000
Cobalt dichloride	7646-79-9	Pneumatic panels to indic	0.1 mass% of article	false	0.0000
Diarsenic pentoxide	1303-28-2	Additive in wood, metal, i	0.1 mass% of article	false	0.0000
Diarsenic trioxide	1327-53-3	Additive in wood, metal, i	0.1 mass% of article	false	0.0000
Dibenzo[a,h]anthracene	53-70-3	Impurities in carbon black	0.0001 mass% of the plas	false	0.0000
Dibenzo[a,h]anthracene	53-70-3	Impurities in carbon black	0.00005 mass% of the pla	false	0.0000
Diboron trioxide	1303-86-2	Found in wood veneers, e	0.1 mass% of article	false	0.0000
Dibutyl phthalate (DBP)	84-74-2	Plasticizer, dye, pigment, 0.1 mass% in homogenou	false	0.0000	
Dibutyltin dichloride (DBT	683-18-1	Ingredient in some paint	0.1 mass% of article	false	0.0000
Diisobutyl phthalate	84-69-5	Plasticizer, dye, pigment, 0.1 mass% in homogenou	false	0.0000	
Diisodecyl phthalate (DID	68515-49-1, 267	Plasticizer, dye, pigment, Intentionally added	false	0.0000	
Diisononyl phthalate (DIN	28553-12-0, 685	Used as a plasticizer for P	Intentionally added	false	0.0000
Diisopentylphthalate	605-50-5	Plasticizer in plastic mate	0.1 mass% of article	false	0.0000
Dimethyl Fumarate (DMF)	624-49-7	Biocide, mold prevention	0.00001 mass% of the pa	false	0.0000
Di-n-hexyl Phthalate (DnH	84-75-3	Plasticizer, dye, pigment, Intentionally added or 0.1	false	0.0000	
Dioxobis(stearato)trilead	12578-12-0	Heat stabilizer for plastic	0.1 mass% of article	false	0.0000



Dipentyl phthalate (DPP)	131-18-0	Plasticizer in PVC and nitr	0.1 mass% of article	false	0.0000
Disodium 3,3'-[[1,1'-biphe	573-58-0	Dye for textiles and pape	0.1 mass% of article	false	0.0000
Disodium 4-amino-3-[[4'-[	1937-37-7	Used in ink for printers	0.1 mass% of article	false	0.0000
Fatty acids, C16-18, lead s	91031-62-8	Heat stabilizer for plastic	0.1 mass% of article	false	0.0000
Formaldehyde	50-00-0	Textiles	0.0075 mass % of textile	false	0.0000
Imidazolidine-2-thione; (2	96-45-7	used as a catalyst in some	0.1 mass% of article	false	0.0000
Lead chromate	7758-97-6	Colorant in plastics; Color	0.1 mass% of article	false	0.0000
Lead chromate molybdate	12656-85-8	Colorant in plastics; Color	0.1 mass% of article	false	0.0000
Lead cyanamide	20837-86-9	Used in anticorrosion coa	0.1 mass% of article	false	0.0000
Lead dinitrate	10099-74-8	Heat stabilizer in nylon ar	0.1 mass% of article	false	0.0000
Lead oxide sulfate	12036-76-9	Heat stabilizer for PVC us	0.1 mass% of article	false	0.0000
Lead sulfochromate yellow	1344-37-2	Colorant in plastics; Color	0.1 mass% of article	false	0.0000
Lead titanium trioxide	12060-00-3	In piezoelectric compone	0.1 mass% of article	false	0.0000
Lead titanium zirconium o	12626-81-2	In piezoelectric compone	0.1 mass% of article	false	0.0000
N,N-dimethylformamide	68-12-2	Used as electrolyte in ele	0.1 mass% of article	false	0.0000
Nickel	7440-02-0	Stainless steel, plating; Ex	Intentionally Added	false	0.0000
N-pentyl-isopentylphthala	776297-69-9	Plasticizer in plastic mate	0.1 mass% of article	false	0.0000
Orange lead (lead tetroxid	1314-41-6	Used in rust-proof primer	0.1 mass% of article	false	0.0000
Pentadecafluorooctanoic	335-67-1	PFOA is used as an emuls	0.1 mass% of article	false	0.0000
Pentalead tetraoxide sulpl	12065-90-6	Heat stabilizer for plastic	0.1 mass% of article	false	0.0000
Pentazinc chromate octah	49663-84-5	Colorant	0.1 mass% of article	false	0.0000
Potassium hydroxyoctaoxi	11103-86-9	Paint, anti-corrosion	0.1 mass% of article	false	0.0000
Pyrochlore, antimony lead	8012-00-8	Used as yellow pigment fi	0.1 mass% of article	false	0.0000
reaction mass of 2-ethylhexyl	10-ethyl-4,4-	PVC stabilizer	0.1 mass% of article	false	0.0000
Silicic acid (H2Si2O5), bari	68784-75-8	Used in UV emitting light	0.1 mass% of article	false	0.0000
Strontium chromate	7789-06-2	Pigment; corrosion resist	0.1 mass% of article	false	0.0000
Sulfurous acid, lead salt, d	62229-08-7	Heat stabilizer for PVC, fo	0.1 mass% of article	false	0.0000
Tetralead trioxide sulphat	12202-17-4	Heat stabilizer for PVC, fo	0.1 mass% of article	false	0.0000
Trilead dioxide phosphon	12141-20-7	Heat stabilizer for PVC, fo	0.1 mass% of article	false	0.0000
Tris(2-chloroethyl)phosph	115-96-8	Flame retardant	0.1 mass% of article	false	0.0000
Trixylyl phosphate	25155-23-1	Used as a plasticizer for v	0.1 mass% of article	false	0.0000