

Call\_DLL\_Test Property Pages



Configuration: Active(Debug) ▾

Platform: Active(Win32) ▾

Configuration Manager...

## Configuration Properties

## General

- Debugging
- ▶ Fortran
- ▶ Linker
- ▶ Resources
- ▶ MIDL
- ▶ Manifest Tool
- ▶ Build Events
- ▶ Custom Build Step

Output Directory	\$(ConfigurationName)
Intermediate Directory	\$(ConfigurationName)
Target Name	CallMicroDll
Target Extension	.exe
Extensions to Delete on Clean	*.cod;*_genmod.*;*.obj;*.mod;*.smod;*.pdb;*.asm;*.lst;*.map;*.dyn;*.dpi;*.tmp;*.log;*.ill
Build Log File	\$(IntDir)\BuildLog.htm
Configuration Type	Application
Whole Program Optimization	No


**Output Directory**

Specifies a relative path to the output file directory.

OK

Cancel

Apply



MicroDLL Property Pages ? X

Configuration: Active(Debug) Platform: Active(Win32) Configuration Manager...

- ▲ Configuration Properties
  - General
  - Debugging
  - ▶ Fortran
  - ▶ Linker
  - ▶ Resources
  - ▶ MIDL
  - ▶ Manifest Tool
  - ▶ Build Events
  - ▶ Custom Build Step

<b>▼ Action</b>	
Command	Debug\CallMicroDll.exe
Command Arguments	
Working Directory	
Attach	No
Environment	
Merge Environment	Yes
<b>▼ Debugger</b>	
Debugger Type	Native Only
<b>▼ Remote Settings</b>	
Connection	Local
Remote Server Name	
Remote Command	

**Command**

The debug command when using the Local connection.

OK
Cancel
Apply