

04R-00482-3.0


144-Pin Plastic Enhanced Quad Flat Pack (EQFP) - Wire Bond - A:1.65 - D2:4.0

- All dimensions and tolerances conform to ASME Y14.5M 1994.
- Controlling dimension is in millimeters.
- Pin 1 may be indicated by an ID dot, or a special feature, in its proximity on package surface.

Note: For more information about the exposed pad pin connection of 144-EQFP package, refer to the specific device pin-out file (<u>https://www.altera.com/support/literature/lit-dp.html</u>)


Package Information		
Description	Specification	
Ordering Code Reference	E	
Package Acronym	EQFP	
Leadframe Material	Copper	
Lead Finish (plating)	Regular: 85Sn:15Pb (Typ.) Pb-free: Matte Sn	
JEDEC Outline Reference	MS-026 Variation: BFB-HD	
Lead Coplanarity	0.003 inch (0.08mm)	
Weight	1.3 g (Typ.)	
Moisture Sensitivity Level	Printed on moisture barrier bag	

Symbol	Millimeters			
	Min.	Nom.	Max.	
А	1.45	1.55	1.65	
A1	0.05	0.10	0.15	
A2	1.30	1.45	1.60	
D	22.00 BSC			
D1	20.00 BSC			
D2	3.85	4.00	4.15	
E	22.00 BSC			
E1	20.00 BSC			
E2	3.85	4.00	4.15	
L	0.45	0.60	0.75	
L1	1.00 REF			
S	0.20	-	-	
b	0.17	0.22	0.27	
c	0.09	-	0.20	
e	0.50 BSC			
θ	0 °	3.5°	7 °	



Package Outline (Option1)

OPTION 2



Document Revision History

Table 1 shows the revision history for this document.

Table 1. Document Revision History

Date	Version	Changes
October 2014	1.0	Initial release
March 2015	2.0	 Add in label# exposed pad in package outline diagram at bottom view. Add note, "Note: For more information about the exposed pad pin connection of 144-EQFP package, refer to the specific device pin-out file
		(<u>https://www.altera.com/support/literature/lit-dp.html</u>)." at first page. 3. Update Package Outline diagram at Page 2
January 2017	3.0	Add option 2 package outline in page 3.



101 Innovation Drive San Jose, CA 95134 www.altera.com © 2017 Altera Corporation. All rights reserved. ALTERA, ARRIA, CYCLONE, HARDCOPY, MAX, MEGACORE, NIOS, QUARTUS and STRATIX are Reg. U.S. Pat. & Tm. Off. and/or trademarks of Altera Corporation in the U.S. and other countries. All other trademarks and service marks are the property of their respective holders as described at www.altera.com/common/legal.html. Altera warrants performance of its semiconductor products to current specifications in accordance with Altera's standard warranty, but reserves the right to make changes to any products and service described herein except as expressly agreed to in writing by Altera. Altera customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.